

INDEX MAPS.

T.11N R.1W 2nd Mer.

	333	333-334	333-334	332-330	332-334	332-335						
337	6	368	5	360	4	354	3	349	2	343	1	331
	368		367		359		354		349		342	
337	7	367	8	359	9	354	10	348	11	342	12	337
	366		366		359		353		348		341	
336	18	365	17	358	16	353	15	347	14	340	13	331
	365		364		357		352		346		340	
336	19	364	20	357	21	352	22	345	23	339	24	330
	363		362		356-356		351		345		339	
335	30	362	29	356	28	351	27	345	26	339	25	330
	361		361		355-356		350		344		338	
335	31	361	32	355	33	350	34	344	35	338	36	330
	328		328		327-329		327-329		327-329		327-329	

Meandering of White River 369

T.12N R.1W 2nd Mer.

	388		387		387		386		386		386	
390	6	418	5	411	4	406	3	400	2	395	1	385
	418		417		410		405		400		394	
389	7	417	8	410	9	405	10	399	11	394	12	385
	416		416		410		404		399		393	
389	18	416	17	409	16	404	15	398	14	393	13	385
	415		415		409		403		398		392	
389	19	414	20	408	21	403	22	397	23	392	24	384
	414		413		408		402		397		391	
388	30	413	29	407	28	402	27	396	26	391	25	384
	412		412		407		401		396		390	
388	31	411	32	406	33	401	34	395	35	390	36	384
	382		382		381-383		381-383		381-382		381-384	

The figures on the lines refer to the page.

Township No 11. N.R. No 1 West of the 2nd Mer. Sec.^a
Ch^o. lbs.

South Boundary.

West On a Random line South side of sec. 36. T. N^o
11 N.R. N^o 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

45.00 To a Brook 30 miles dist; Corner N.W.

47.00 " " Spring Corner N.W.

80.00 Set a temporary post for the cor. to sec. 35 & 36.
T. N^o 11 N.R. N^o 17.

Land broken & Weedy; Timber Buck, Sugar,
Poplar,

West On a Random line South side of sec. 35. T. N^o
11 N.R. N^o 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Set a temporary post for the cor. to sec. 34 & 35
T. N^o 11 N.R. N^o 17. Land broken & Weedy
Timber Oak, Buck, Poplar, & very brushy.

West On a Random line. South side of sec. 34. T.
N^o 11 N.R. N^o 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

49.50 To a Brook 30 miles dist; Corner N.W.

80.00 Set a temporary post for the cor. to sec. 33 & 34. T.
N^o 11 N.R. N^o 17. Land level & middling
good for farming; Timber Oak, Buck & Ash,
2nd rate land.

Friday May 21. 1819.

West On a Random line South side of sec. 33. T. N^o
11 N.R. N^o 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Set a temporary post for the cor. to sec. 32 & 33.
T. N^o 11 N.R. N^o 17.

Land very broken & Weedy; Good soil.
Timber Same as on the last mile.

T. No 11. N.R. No 1st W. 2nd Mer. (Ind. a.)

West On a Random line South side of sec. 32. T. No 11. N.R. No 1st W.

38.00 To a Brook 5 miles wide; Course S.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

48.00 To a Brook 8 miles wide; Course S.W.

80.00 Set a temporary post for the cor. to sec. 31. & 32. T. No 11 N.R. No 1st W. Land rolling & good for farming: Timber some.

West On a Random line on the S Boundary of sec. 31. T. No 11. N.R. No 1st W.

22.80 To a Brook 12 miles wide; Course S.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

67.50 Entered the Range line at the Turn cor.

East In the true line. South Boundary of sec. 31. T. No 11 N.R. No 1st W.

27.50 Set a post on the true line for the cor. to $\frac{1}{4}$ sec. from which a W Oak 12 in. dia. bears S 44 W. 22 miles dist; &
a W Oak 30 " " " N 57 E. 27 " "

37.80 To a Brook 8 miles wide; Course S.W.

67.50 Set a post for the cor. to sec. 31. & 32. T. No 11. N.R. No 1st W. from which a
W Oak 30 in. dia. bears S 48 E. 5 miles dist; & a
Poplar 12 " " " S 53 W. 25 " "

East On a true line South Boundary of sec. 32. T. No 11 N.R. No 1st W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 24 in. dia. bears S 13 E. 42 miles dist; & a
do 30 " " " N 76 W 32 " "

80.00 Set a post for the cor. to sec. 32, & 33. T. No 11 N.R. No 1st W. from which a
White 18 in. dia. stands N 70 E. 36 miles dist;
W Oak 27 " " " S 77 W. 33 " "

T. N^o 11 N.R. N^o 17th. 2nd Mer. (Ind. a)

East On the true line South Boundary of sec. 33. T. N^o 11
N.R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 12 in. dia. stands S 71 E. 9 links dist; to
Hackb. 18 " " " S 16 E. 18 " "

80.00 Set a post for the cor. to sec. 33. & 34 T. N^o 11
N.R. N^o 17th. from which a
Hackberry 11 in. dia. stands S 71 E. 16 links dist; to
a l. 27 " " " S 60 W 33 " "

East On a true line, South Boundary of sec. 34 T. N^o 11
N.R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dogwood 9 in. dia. stands N 42 W. 5 links dist; to
W. Oak 30 " " " S 64 E. 27.

80.00 Set a post for the cor. to sec. 34 & 35 T. N^o 11 N.
R. N^o 17th. from which a
Hack 18 in. dia. bears West 39 links dist; to
W. Oak 18 " " " N 62 E. 36 " "

East On a true line South side of Sec. 35 T. N^o 11 N.
R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 8 in. dia. bears S 11 W. 31 links dist; to
Hackb. 11 " " " N 16 W.

80.00 Set a post for the cor. to sec. 35 & 36 T. N^o 11
N.R. N^o 17th. from which a
Hackb. 9 in. dia. bears N 59 E. 13 links dist; to
Gum 24 " " " S 35 W. 27.

East On a true line on the South Boundary of sec. 36. T.
N^o 11 N.R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 18 in. dia. bears S 57 W. 15 links dist; to
B. Walnut 24 " " " N 64 E. 30 " "

80.00 To the cor. of Towns N^o 10 & 11. N.R. 1 E & 1 W.

T. N^o 11 N.R. N^o 1 W. 2nd Mer. (In a^o)

Tuesday May 24th 1819.

North On the 2nd Mer. East side of sec. 36. T. N^o 11 N.
R. N^o 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Oak 20 in. dia. bears N 61 E 10 miles dist; & a
W. Oak 10 " " " S 4 W. 15 " "

57.00 To a Grove 20 miles midw. course W.

80.00 Set a post for the cor. to sec. 25. & 36. T. N^o 11 N.
R. N^o 1 W. from which a
Sugar 15 in. dia. bears S 15 E 25 miles dist; & a
Buck 5 " " " N 84 W 20 " "
Lands hilly under 2nd Mer. Timber Oak, Buck,
Sugar.

North On the 2nd Mer. East Boundary of sec. 25. T. N^o
11. N.R. N^o 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in. dia. bears S 69 E. 9 miles dist; & a
Buck 13 " " " N 30 E 16 " "

80.00 Set a post for the cor. to sec. 24 & 25. T. N^o 11
N.R. N^o 1 W. from which a
Buck 10 in. dia. bears N 62 E 7 miles dist; & a
Hickory 18 " " " S 53 E 15 " "

South half Lands same as on the last mile; Much
up level; some parts rather resembles river bottom
Timber Buck, Oak, Hickory.

North On the 2nd Mer. East Boundary of sec. 24. T. N^o
11. N.R. N^o 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 24 in. dia. bears N 73 E. 29 miles dist; & a
W. Buck 5 " " " S. 13 W. 10 " "

46.00 To a Barre 20 miles midw. course W.

80.00 Set a post for the cor. to sec. 13. & 24. T. N^o 11 N.
R. N^o 1 W. from which a
B. - 10 in. dia. bears S 16 W. 19 miles dist; & a

T. No 11 N.R. No 177 2nd Mer (Dundee)

Wick 27 in. dia. bears S 69 W. 10 miles dist;
 1st rate bottom limbo. Timber 7 Buck, Sugar, Hickory
 & Ash.

North On the 2nd Mer. East Boundary of Sec. 13. T. No 11
 N.R. No 177.

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sugar 12 in. dia. bears S 57 E. 26 miles dist; to
 Do 24 " " " S 78 W. 53 " " "

57.50 To a Brook 8 miles dist; course N.E.

78.00 To a Brook 100 " " " S.W.

80.00 Set a post for the cor. to Sec. 12 & 13. T. No 11 N.
 R. No 177. From which a
 W. 7 Buck 10 in. dia. bears N 89 E 28 miles dist; to
 7 Buck 30 " " " N 79 W. 38 " "
 South 1/4 land same as on the last mile; N. 1/4 Hickory

North On the 2nd Mer. East Boundary of Sec. 12. T. No
 11. N.R. No 177.

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Hackberry 12 in. dia. bears N 70 W. - 1/4 mile dist; to
 Do 18 " " " N 50 E. 42 " "

72.00 To a Bayou.

80.00 Set a post for the cor. to Sec. 1 & 12 T. No 11. N.
 R. No 177. From which a
 Cottonwood 24 in. dia. bears S 41 W. 15 miles dist; to
 Do 18 " " " N 16 W. 22 " "
 Land 1st rate bottom which overflows.

North On the 2nd Mer. East Boundary of Sec. 1. T. No 11.
 N.R. No 177.

40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sycamore 10 in. dia. stands S 9 W. 10 miles dist; to
 a do 15 " " " N 40 W. 10 " "

45.63 To a Sycamore 12 in. dia. stands in the line for
 the cor. to Sec. 1 & 6. on the Bank of White River

T. No 11. N.R. No 177. 2nd Sec. Mer. Ind.

- 56.89 To a Sycamore 20 mi. dia stand for the cor. to
 sec. 1 & 6. on the Right Bank of White River
 80.00 Set a post for the cor. to sec. 1, 6, 31, 36. T. No 11.
 & 12, 12 N.R. S 1 E. & 177. from which a
 Buck 10 mi. dia. bears N 82 E. 10 miles dist; to
 do 30 " " " S 84 W 26 " "
 Same soil, timber to same as on the last mile.

North Boundary

Wednesday May 25th 1819. Var. 5° 35'

West On a Random line South Boundary of sec. 36. T. No
 12. N.R. No 177.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 57.00 To a Brook 70 miles wide; Course S.
 80.00 Set a temporary post for the cor. to sec. 35. & 36. T.
 No 12 N.R. No 177.
 East $\frac{3}{4}$ of the land 1st mile bottom. First over-
 grown; next $\frac{1}{4}$ hilly; Timber Oak Sugar, Ash,
 & Buck.

West On a Random line South Boundary of sec. 35. T. No
 11 N.R. No 177.

- 5.00 To a Spring 2 miles wide; Course S.
 10.00 " " Brook 8 " " " "
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 41.00 To a Brook 3 miles wide; Course S.
 54.00 " " " 8 " " " "
 80.00 Set a temporary post for the cor. to sec. 34 & 35. T. No 11
 N.R. No 177. Land hilly good 2nd rate land
 Timber Buck, Sugar, Oak, & White.

West On a Random line South Boundary of sec. 34. T. No
 11. N.R. No 177.

- 10.00 To a Small Brook - 1 mile wide; Course S.
 26.00 " " Brook 10 " " " "
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. No 11. N.R. No 17. 2nd Mer. (Ind. a)

- 56.00 To a Brook 4 miles wide; Course S.
 80.00 Set a temporary post for the cor. to 1/4 sec. 33 & 34
 T. No 12 N.R. No 17. Sands same as in the last;
 mile.

Thursday May 26.th 1819.

- West On a Random line South Boundary of sec. 33. T. No
 12 N.R. No 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 41.00 To a Brook 12 miles wide; Course S.
 46.00 To a Spring branch 3 miles wide; Course S.E.
 80.00 Set a temporary post for the cor. to sec. 32 & 33. T.
 No 12 N.R. No 17. Sands same as in the last
 mile.

- West On a Random line South Boundary of sec. 32 T. No
 12 N.R. No 17.
 0.50 To a Brook 3 miles wide; Course S.
 33.00 To a Brook 50 " " " S.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Set a temporary post for the cor. to sec. 31 & 32. T.
 No 12 N.R. No 17. Sands E. 1/2 N. N. bottom
 W 1/2 very hilly; Timber same.

- West On a Random line South side of sec 31. T. No 12
 N.R. No 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 69.84 Intersected the Range line 404 miles South of
 of the Temporary Township cor. for T. 11. 11. & 12,
 12. N.R. 1. & 2 N. Sands very hilly

- East On a true line. South Boundary of Sec. 31 T. No 12
 N.R. No 17.
 29.84 Set a post on the true line for the cor. to 1/4 sec.
 from which a Bush 10 m. N. W. bears South 9 like dist; or
 Gum 12 m. N. W. bears N 12 W. 27. miles dist;

T. N^o 11. N.R. N^o 1 W. 2nd Mer. (Ind. a.)

- 69.84 Set a post on the true line for the cor. to sec. 31 & 32.
T. N^o 12 N.R. N^o 1 W. from which a
Tree 14 in. dia. bears S 23 E. 6 miles dist; to
Poplar 18 " " " N 65 W. 31 " "

East On a true line South Boundary of sec. 32. T. N^o
12 W. R. N^o 1 W.

- 40.00 Set a post on the true line for the cor. to 1/4 sec. from
which an Elm 11 in. dia. bears S 47 W. 50 like dist;
and an Ash 6 " " " N 8 E. 22 " "

- 80.00 Set a post on the true line for the cor. to sec. 32 &
33. T. N^o 12 N.R. N^o 1 W. from which a
Tree 9 in. dia. bears N 62 E. 23 miles dist; to
Co 10 " " " S 13 W. 13 " "

East On a true line South Boundary of sec. 33 T. N^o
12. N.R. N^o 1 W.

- 40.00 Set a post on the true line for the cor. to 1/4 sec. from
which a Sugar 9 in. dia. bears N. 77 W. 52 like dist.

- 80.00 Set a post on the true line for the cor. to sec. 33
& 34. T. N^o 12 N.R. N^o 1 W. from which a
Tree 10 in. dia. bears N 56 W. 24 miles dist; to
Co 13 " " " S 54 E. 26 " "

East On a true line South Boundary of sec. 34. T. N^o
12. N.R. N^o 1 W.

- 40.00 Set a post on the true line for the cor. to 1/4 sec. from
which a Tree 18 in. dia. bears N 41 E. 36 like dist;
and a Sugar 8 " " " S 29 W. 33 " "

- 80.00 Set a post on the true line for the cor. to sec. 34 & 35
T. N^o 12 N.R. N^o 1 W. from which a
Tree 8 in. dia. bears N 29 W. 45 miles dist; to
Dogwood 8 " " " S 36 W. 10 " "

East On a true line South Boundary of sec. 35 T. N^o 12
N.R. N^o 1 W.

T. N^o 11 N.R. N^o 17. Quad Mer. (Ind.)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears S 60. W. 15 miles dist; & a
 Do 18 " " " N 8 E. 19 " "
 80.00 Set a post on the true line for the cor. to Sect. 35. & 36
 T. N^o 12 N.R. N^o 17. from which a
 Buck 9 in. dia. bears N 71 E. 20 miles dist; & a
 Do 18 " " " N 10 W. 25 " "

East On true line South Boundary of Sec. 36. T. N^o 12
 N.R. N^o 17.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 30 in. dia. bears S 24 W. 4 miles dist; & a
 Do 18 " " " N 5 1/2 W. 27 " "
 80.00 Set the post set for the cor. to T. S. 11. 11. & 12, 12, N.
 R. S. N^o 1 E. & 1 W. Quad Mer.

West Boundary. N. 6° 30'

North On the East Boundary of Sec. 36. T. N^o 11. N.R. N^o 27.

- 13.00 To a Brook 8 miles wide; Corner S.W.
 40.00 Set a post for the cor. to 1/4 Sec from which a
 Hickory 24 in. dia. bears North 26 miles dist;
 Buck 18 " " " S 28 W. 31 " "
 80.00 Set a post for the cor. to Sect. 25. & 36. from which
 a W Oak 12 in. dia. S 47 E. 9 miles dist; & a
 W Oak 30 " " N 34 E. 19 " "
 Ground very broken and hilly; rich soil; Little
 Buck, Sugar, Oak Hickory &c

x - North On the East Boundary of Sec. 25 T. N^o 11 N.R.
 N^o 27.

- 40.00 Set a post for the cor. to the 1/4 sec. from which a
 W Oak 12 in. dia. bears S 20 E. 29 miles dist; & a
 Elm 18 " " " S 87 W. 24 " "
 71.00 Set a post on the Left Bank of White River.
 for the cor. to Sect. 25. & 30. T. S. 16 N. R. S. 1 & 2 W.
 from which a W Oak 30 in. dia. bears N 87 E 3

J. N^o 11. N.R. N^o 17. 2nd Mer. And.

- W Oak 5 in. dia. bears S 65 W. 21 miles dist;
 48.00 Set apart on the N^t Bank of White River for
 the cor. to sec. 25. 13 R. T^s N^o 11. N.R.^s N^o 1 & 2
 77. 2nd Mer. from which a
 Maple 9 in. dia. bears S 54 W. 9 miles dist; to
 B. Elm 6 " " " S 69 E. 18 " "
 80.00 Set apart for the cor. to sec. 24 & 25 T. N^o 11 N.
 R. N^o 2 W. 2nd Mer. from which a
 Spruce 10 in. dia. bears S 57 W. 15 miles dist; to
 Elm 12 " " " S 49 E. 24 " "
 This mile river bottom N^t rate soil; overflows.

-
- North On the East Boundary of sec. 24 T. N^o 11. N.R.
 N^o 2 W.
 11.33 To a Maple - in. dia. stands on the N^t Bank
 of White River for the cor. to sec. 19 & 24. T^s
 11 N.R.^s 1 & 2 W.
 32.08 To a Maple 12 in. dia. which stands on the N^t
 Bank of White River for the cor. to sec. 19 & 24
 T^s 11 N.R. N^o 1 & 2 W.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Buckeye 10 in. dia. bears S 53 E. 12 miles dist;
 to do 10 " " " S 87 W. 20 " "
 67.50 To a Bayou 57 miles wide; Course W.
 80.00 Set apart for the cor. to sec. 13 & 24. T. N^o 11 N.
 R. N^o 2 W. from which a
 Hick 9 in. dia. bears S 38 E. 7 miles dist; to
 do 12 " " " N 23 W. 31 " "
 Sande came.

-
- North On the East Boundary of sec. 13 T. N^o 11 N.R.
 N^o 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Birch 15 in. dia. bears N. 23 W. 19 miles dist; to
 do 8 " " " S 56 E. 16 " "
 80.00 Set apart for the cor. to sec. 12 & 13. T. N^o 11 N.

T. No. 11. N.R. No. 1 W. 2nd Mer. (Ind. 2)

CR. No. 1 W. from which a
 Buck 18 m. dia bears S19E. 13 miles dist; to
 W. Oak 24 a a a N23 W. 10 a a
 Sands all bottom; Sp. rather wet the N. 1/2 N.
 rate.

North On the E. Boundary of sec. 12 T. No. 11 N.R. No.
 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 24 m. dia bears N75 W. 27 miles dist; to
 Oak 50 a a a S33 E. 8 a a

* 80.00 Set a post for the cor. to sec. 1. 12. T. No. 11. N.
 R. No. 1 W. from which a
 Buck 12 m. dia. bears N75 W. 30 miles dist; to
 Maple 30 a a a N37 E. 23 a a

* 41.95 To a Brook 20 miles wide; corner S. W.
 60.00 a a a 20 a a a S. E.
 Sands 2nd rate bottom; Part rather wet;
 Much Buck, some Hickory, Ash, Elm Maple
 Timber etc.

North On the East Boundary of sec. 1 T. No. 11 N.R. No.
 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 9 m. dia bears S69 W. 32 miles dist;
 Ho 9 a a a S48 E. 33 a a

80.00 Set a temporary post for the cor. to Town 11. 11. &
 12, 12 N.R. No. 1 & 2 W. South of lands
 similar to the last mile; North of Kelly & 2 m.
 Kim; Timber Oak, Buck, Hickory; bushy
 Bearings to this cor.

Hickory 18 m. dia bears N66 E. 24 miles dist;
 S. Oak 30 a a a S76 W. 41 a a

T. N^o 11. N.R. N^o 177. 2nd & 3rd Mer. (In a^o)

Subdivisions

- North Section Sep. 35 & 36 T. N^o 11. N.R. N^o 177.
 24.15 To a Beck 18 in. dia. Stands in the river
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Beck 8 in. dia. bears N 41 E. 45 miles dist; to
 do 5 " " " " 02077.20 " "
 61.25 To a Beck 24 in. dia. Stands in the river.
 80.00 Set apart for the cor. to Sep. 25, 26, 35 & 36.
 from which a Beck 18 in. dia. bears N 77 W 14
 miles dist; to do 18 " " " " 07577.10
 " " Broken 2nd & 3rd rate lands; Timber Beck
 W Oak, & Hickory & c. W. G. Callafas & Hogwood
 Ironwood Brins etc.

East On a Random line between Sep. 25 & 36 T. N^o 11
 N.R. N^o 177

- 11.40 To a Brook 25 miles wide; Corner N. N. W.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 73.00 To a Spring Branch Corner S. E. W.
 78.96 Introduced the East Boundary of T. N^o 11 N.
 R. N^o 177. 20 miles S. of the first set for the
 cor. to Sep. 25 & 36. Lands part wood & part
 Broken 2nd & 3rd rate; N 113. & Sp Oak.
 Hickory & Softwood. W. G. Hogwood, Callafas
 Oak etc.

West Corrupted between Sep. 25, & 36. T. N^o 11. N.R.
 N^o 177

- 18.16 To a Beck 6 in. dia. Stands in the river.
 39.48 Set apart (temp.) post at the aver. dist. on the
 true line for the cor. to 1/4 sec. from which a
 Beck 6 in. dia. bears N 49 E. 10 miles dist; to
 do 18 " " " " 02377.12 " "
 57.71 To a Beck 10 in. dia. Stands in the river.
 78.96 To the post set for the cor. to Sep. 25, 26, 35, & 36.

T. N.° 11 N.R. N.° 177. 2nd Mer. Ina.

- North *T. Betoun* Jul. 25, & 26. *T. N.° 11 N.R. N.° 177*
 14.00 To a Brook 20 miles wide; *Conse N.W.*
 21.20 " " *Beck 18 m. dia. Stands in the river.*
 40.00 To a *Beck 14 m. dia. which stands for the cor.*
to the 1st post. From which a
Beck 10 m. dia. bears N 31 W. 32 miles distant
Ash 2 m. " " S 37 W. 14 m. " "
 61.00 To a *Hornbeam 4 m. dia. Stands in the river*
 80.00 Set a post for the cor. to Jul. 23, 24, 25, 26. From
 which a *Beck 16 m. dia. bears N 34 E. 24 the dist.*
 and a *Do 19 m. " " S 59 E. 32 m. " "*
*Sand level 2nd rate; Timber *Beck, Oak*
*W. Oak, Elm & Hickory, N.Y. Spruce.**

- East On a *Kandam* line between Jul. 24, & 25, *T. N.° 11 N.R. N.° 177.*
 140.00 Set a temporary post for the cor. to 1/4 sec.
 148.84 Intersected the *E. Bonnard* 26 miles N of the
 post set for the cor. to Jul. 24, & 25. *Sand level*
*2nd rate; Timber *Beck, Hickory, W. Oak, Ash,*
*Elm, &c. N.Y. Spruce, Maple, &c.**

- West On the true line between Jul. 24, & 25 *T. N.° 11 N.R. N.° 177.*
 16.06 To a *Beck 20 m. dia. Stands in the river.*
 39.42 Set the temporary post at the above dist; on the true
 line for the cor. to 1/4 sec. From which a
Beck 18 m. dia. bears S 71 W. 15 miles distant; & a
W. Oak 16 m. " " N 25 W 8 m. " "
 56.30 To a *Walnut 16 m. dia. Stands in the river.*
 78.84 To the post set for the cor. to Jul. 23, 24, 25, 26,

- North *T. Betoun* Jul. 23, & 24. *T. N.° 11 N.R. N.° 177.*
 3.00 To a Brook 15 miles wide; *Conse N.W.*
 14.88 " " *Do " " " " N.E.*
 19.84 To an *Ash, 18 m. dia. Stands in the river.*

T. N^o 11. N.R. N^o 1 W. 2nd Mer. (Ind. a.)

- 46.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 18 in. dia. bears N40 E. 4 miles dist; to
Buck 4 " " " N11 W. 5 " "
- 47.50 To the above stream corner N. N. W.
- 60.00 To an Elm 54 in. dia. stands in the line.
- 80.00 Got a post for the cor. to sec. 13, 14, 23 & 24 from
which a Hackberry 12 in. dia. bears N36 W. 5 the
dist; to Hick. 18 " " " S53 E. 22 "
" Sande hol 1st & 2nd rate; Timber Buck,
Ash, W. Oak, Sugar, Hick., Walnut, Hackberry
Buckeye, &c. N. S. Spec. to. Nov. 1st 1819.

East On a line between Sec. 13 & 24 T. N^o 11.
N.R. N^o 1 W.

- 40.00 Got a temp. post for the cor. to $\frac{1}{4}$ sec.
- 56.50 To a spring & Buck corner S. W.
- 78.40 Entered the E. Boundary of T. N^o 11. N.R. N^o
1 W. 42 links N. of the post set for the cor. to
sec. 13 & 24. Sande 2nd rate; Timber Wal-
nut, Shellbark, Hick., Ash, Sugar, Hick.
W. Oak, Buck, &c. N. S. Spec. to.

West On a line between Sec. 13 & 24. T. N^o 11.
N.R. N^o 1 W.

- 17.86 To an Ash. 18 in. dia. stands in the line.
- 39.20 Got a post for the cor. to $\frac{1}{4}$ sec. at the corner
of the true line. from which an
Ironwood. 4 in. dia. stands N45 E. 12 miles
dist; to No 3 " " " N46 W. 15 "
- 53.36 To a Buck 42 in. dia. stands in the line.
- 78.40 To the post set for the cor. to sec. 13, 14, 23 & 24.

North Between Sec. 13 & 14. T. N^o 11. N.R. N^o 1 W.

- 27.00 To a Sugar 28 in. dia. stands in the line.
- 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 3 in. dia. bears N33 W. 21 miles dist; to

T. N^o 11. N.R. N^o 177. 2nd Mer. (Ind.)

- Buck 18 mi. dia. bears N 31 E. 30 miles dist; 1
 43.70 Set apart on the Left Bank of W. River for the
 cor. to Sec. 13 & 14 T. N^o 11 N.R. N^o 177. From which
 a Maple 16 mi. dia. bears S 37 W. 10 miles dist; to
 do 4 " " " N 40 E. 23 " "
 48.27 Set apart on the R^t Bank of W. River for the
 cor. to Sec. 13 & 14. From which a
 Blue Oak 10 mi. dia. bears N. 38 W. 7 miles dist; to
 Hackberry 15 " " " N 23 E. 12 " "
 70.54 To a Shell Bank N. 1/2 W. 24 mi. dia. Mounds in the line
 80.00 Set apart for the cor. to Sec. 11, 12, 13 & 14. T. N^o 11 N.
 N.R. N^o 177. From which a
 Buckeye 5 mi. dia. bears S 43 E. 8 miles dist; to
 Sugar 16 " " " N 54 W. 26 " "
 South of the River land 2nd rate lands; & Timber
 Buck, Walnut, Oak &c. N. of the River first
 rate lands. Timber Walnut, Hackberry, Buckeye
 Locust, Sugar, &c. W. of River. Pawpaw.

- East On a Random line between Sec. 12 & 13. T. N^o 11
 N.R. N^o 177.
 22.17 To the N.W. Bank of White River
 26.85 " " S.E. " " " "
 40.00 Set a temporary post for the cor. to 1/4 sec. in Island.
 42.84 Left Island.
 54.44 To the S.E. Bank of W. River.
 78.56 Enter the East Boundary of T. N^o 11 N.R. N^o
 177. 54 miles N. of the post set for the cor.
 to Sec. 12, 13. Land 1st & 2nd rate lands; Timber
 Walnut, Ash, Hackberry. Buckeye. Sycamore
 Cottonwood &c. W. of River. Pawpaw, Miller &c

- West On the true line between Sec. 12 & 13. T. N^o 11 N.
 R. N^o 177.
 24.12 Set apart on the Left Bank of White River for
 the cor. to Sec. 12 & 13. T. N^o 11 N.R. N^o 177. From which a

T. N. 11. N.R. N. 17. 2nd Mer. Ind.^a

- Red Bud 3 in. dia bears S47 N. 18 miles dist; to
 Buckeye 3 " " " N54 E. 15 " "
- 35.62 Set a post, in Islanda, on the true line, for the
 cor. to sec 12 & 13 from which a
 Elm 10 in. dia bears N56 N. 9 miles dist; to
 do 12 " " " S59 N. 41 " "
- 39.28 Set the township post at the cor. dist on the true line
 for the cor. to 1/4 sec from which a
 Hackberry 8 in. dia. stands N60 E. 14 miles dist;
- 51.71 Set a post on the River Bank, in Islanda, on
 the true line cor to sec. 12 & 13 from which a
 Cottonwood 3 in. dia bears N66 E. 12 miles dist;
 to do 4 " " " S64 E. 15 " "
- 56.69 Set a post on the N.W. Bank or N.E. Bank
 White River for the cor. to sec. 12, 13. from which
 Walnut 3 in. dia bears N10 E. 10 miles dist; to
 Buckeye 13 " " " S22 N. 12 " "
- 61.46 To a Sycamore 60 in. dia stands in the river
- 78.16 To the post set for the cor. to sec. 11, 12, 13 & 14

North Between Sec 11 & 12. T. N. 11 N.R. N. 17.

- 25.12 To a Buckeye 8 in. dia stands in the river.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buckeye 4 in. dia. bears N48 E. 16 miles dist;
 Sugar 18 " " " S34 N. 28 " "
- 59.62 To a Buckeye 14 in. dia stands in the river.
- 80.00 Set a post for the cor. to sec. 1, 2, 11, 12. from which
 a Sugar 8 in. dia bears S67 N. 15 miles dist
 and at Sec 4 " " " N58 E. 16 " "
- Sand hole and first rate; Timber Walnut
 Hackberry Buckeye Sugar, Cherry Bush,
 W. Spruce & Pawpaw.

East On a Meridian line between Sec 1 & 12. T. N. 11
 N.R. N. 17.

- 40.00 Set a township post for the cor. to 1/4 sec.

T. N. 11 N. R. N. 1. Mt. 2nd Mer. (Ind. 2)

64.35 To the R. Bank of White River.

70.02 To a Spt. " " " "

78.40 Enter within the E. Boundary of Ind. Mer. 46.
Make N. of the first set for the cor. to Sep. 1st 12
Sands wood 1st rate: Timber Walnut, Sugar,
Beck, Hackberry &c. W. 3 Spruce, Sawpam. &c.

Next On the true line Between Sep. 1st 12. T. N. 11 N.
R. N. 1 W.

2.50 Enter prairie

8.38 Set a post on the left Bank of White River on
the true line for the cor. to Sep. 1st 12 no bearing
Post & mound in Prairie;

14.05 Set a post on the R. Bank of White River
for the cor. to Sep. 1st 12 from which a
Willow 4 in. dia. bears N 53 E. 15 miles dist. to
Cottonwood Co. a - - - S 62 W. 48 - - -

39.20 Set the temporary post at the arr. dist. on the true
line for the cor. to 1st 12 from which a
Beck 24 in. dia. bears N 63 E. 5 miles dist. to
Ho 20 - - - - - S 33 W 31 - - -

57.70 To a Beck 36 in. dia. stands in the river.

78.40 To the first set for the cor. to Sep. 1, 2, 11, 12

North Between Sep. 1st 12. T. N. 11 N. R. N. 1 W.

22.11 To a Sugar 6 in. dia. stands in the river.

40.00 Set a post for the cor. to 1st 12 from which a
Hornbeam 4 in. dia. bears S 88 E. 10 miles dist. to
Ho 6 - - - - - N 33 W 18 - - -

48.90 To a Brook 10 miles wide; course E. & E.

61.00 " " Oak 18 in. dia. stands in the river.

76.28 Enter within the N. Boundary of T. N. 11 N. R. N.
1 W. 138 miles East of the first set for the cor. to
Sep. 35 & 36. T. N. 12 N. R. N. 1 W. Set a post
for the cor. to Sep. 1st 12. from which a
Beck 16 in. dia. bears S 21 W. 20 miles dist. to

T. N. 11 N.R. N. 17. 2nd Mer. (Ind. G.)

Beck 7 in. dia. bears S 34 E. 28 miles dist; /
 Lands N. 1/2 mile broad 2nd rate;
 2nd 1/2 mile broken 3rd rate; Timber Poplar,
 Ash, Sugar, W. Oak, Hickory, Beech, Hickory
 & w. y. Ironwoods, Spruce, &c. Nov. 2nd 1819.

North Bottom Cal. 34 & 35. T. N. 11 N.R. N. 17.

25.27 Is a W. Oak, 18 in. dia. Stands in the river.

4000 Set a post for the cor. to 1/4 sec. from which is
 Beck 13 in. dia. bears N 43 W. 16 miles dist; to
 No 21 a ~ ~ N 81 E. 25 a ~

69.40 Is a W. Oak 17 in. dia. Stands in the river.

8000 Set a post for the cor. to Cal. 26, 27, 34 & 35
 from which is Logwoods 3 in. dia. bears
 N 35 W. 5 miles dist; and a Hickory 12 in.
 dia. bears S 53 E. 8 miles dist; Lands 3rd rate
 Timber W. Oak, Hickory, Beech, Poplar, &c.
 w. y. Sassafras Ironwoods and Oak, Hickory
 Spruce &c.

East On a Meridian line between Cal. 26. & 35. T. N. 11
 N.R. N. 17.

4000 Set a temporary post for the cor. to 1/4 sec.

80.20 Intersected the N & S line 39 miles N. of the
 post set for the cor. to Cal. 25, 26, 35 & 36.
 Lands Broken 3rd rate; Timber W. Oak,
 Hickory, Beech &c. w. y. Sassafras, Ironwoods,
 Hickory, Ash, Spruce, &c.

West On the true line between Cal. 26. & 35 T. N. 11
 N.R. N. 17.

19.05 Is a Beech 22 in. dia. Stands in the river.

40.10 Set the temporary post at the aver. dist; on the true line
 for the cor. to 1/4 sec. from which is
 Beech 6 in. dia. bears N 68 W. 18 miles dist; to
 Ironwoods 5 a ~ ~ N 42 E. 23 a ~

345

I No 11. N. R. No 17. Grade Mer. Ind.^a

61.12 To a W Oak 12 in. dia stands in the river
 80.20 To the post set for the cor. to sec 26. 27. 34 & 35

North Between Sec 26. & 27 I No 11. N. R. No 17.

21.62 To a Hickory 22 in. dia stands in the river.

40.00 Set a post for the cor. to 1/4 sec from which a
 Log made 8 in. dia bears N 57 W. 27 miles dist
 Buck 10 " " " S 34 E. 10 " "

64.00 To a Poplar 24 in. dia. bears in the river

80.00 Set a post for the cor. to sec 24, 23, 26, 27. from
 which a Buck 8 in. dia. bears S 30 E. 15 miles dist,
 and a Log 18 " " " N 52 W. 54 " "
 Sands broken 2nd & 3rd rate; Timber W. Oak,
 Hickory, Poplar, Ash, &c. N. J. Ash, Hickory & Fir
 &c.

East On a Random line between Sec 23. & 26. I No
 11 N. R. No 17.

40.00 Set a timber post for the cor. to 1/4 sec.

80.32 Into section the N & S line 27 miles N. of the post
 set for the cor. to sec 23 24 26 25. Sands part
 level 2nd rate; + Part broken 3rd rate.

Timber W. Oak, Buck, Hickory and Ash, Sugar
 &c. W. Spruce, Ash Hickory, Hazel, & Pine. &c.

West On the true line between Sec 23 & 26. I No 11 N. R.
 No 17.

16.88 To a Buck 20 in. dia. stands in the river.

40.16 Set the post (timber) at the aver. dist. in the true
 line for the cor. to 1/4 sec. from which a
 W Oak, 22 in. dia. bears N 46 E. 11 miles dist to
 Sugar 4 " " " S 54 W. 18 " "

53.68 To a W Oak 20 in. dia stands in the river.

80.32 To the post set for the cor. to sec 22, 23, 26, 27.

North Between Sec 22, & 23. I No 11. N. R. No 17.

T. N. 11. N.R. N. 17. 2nd Mer. (Ind. 2)

- 17.50 To a Hickory 17 in. dia. stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 22 in. dia. bears N 46 - 11 miles distant
 Sugar 4 " " " S 54 W. 18 " "
 53.15 To a Beech 16 in. dia. stands in the river
 59.84 Set a post on the left Bank of W. River for
 the cor. to sec. 22 & 23 from which a
 Beech 18 in. dia. bears N 53 W. 27 miles distant
 Do 20 " " " S 69 E. 20 " "
 65.47 Set a post on the R^t Bank of W. River for the
 cor. to sec. 22, & 23. from which a
 Maple 14 in dia bears S 65 W. 10 miles dist
 Do 10 " " " S 26 E. 2 " "
 81.00 Set a post for the cor. to sec. 14, 15, 22, 23 from
 which a Hackberry 18 in. dia bears N 56 E 11
 miles distant Sugar 26 " " " S 42 W 42
 " " " S 20 S of the River between 2nd
 rate; Timber Beech W. Oak, ash, & Hickory
 Lands N. of the River hold R^t rate; Timber
 Walnut, Buckeye & Locust. Hackberry Sugar
 &c. W. Spine Pawpaw. & Maple.

East On a Random line between sec. 14 & 23. T. N. 11
 N.R. N. 17.

- 13.32 To the N.W. Bank of W. River
 19.25 " " S.E. " " " "
 26.85 " " " " " " " on which bank? same
 9 32.90 " " N.W. " " " "
 40.00 Set a temporary post for the cor. to 1/4 sec.
 50.49 50.11 To the N.W. Bank of W. River
 56.00 " " S.E. " " " "
 81.34 Intersect the N. & S line 28 miles N. of the
 post set for the cor. to sec. 13, 14, 23 & 24
 Lands hold R^t & 2nd rate; Timber Walnut
 Hackberry, Buckeye, Elm, Sugar, Pecan
 Chestnutwood &c. W. Spine Nollor & vine &c.

T. N^o 11 N.R. N^o 17. 2nd Mer. (Ind. a.)

- West On the true line between sec. 14 & 23. T. N^o 11 N. N. N^o 17
- 24.34 Set a post on the Left Bank of White River for the cor. to frac. sec. 14 & 23. From which a Cottonwood 8 in. dia. bears S 14 E. 11 miles dist; to do 12 n n n N 23 E. 21 n n
- 29.85 Set a post on the W. Bank of White River for the cor. to frac. sec. 14 & 23. From which a Hackberry 14 in. dia. bears N 75 W. 8 miles dist; and an Elm 4 n n n S 54 E. 15 n n n (and measure cor. on right bank of river)
- 40.17 Set a post for the cor. to 1/4 sec. from which a Hackberry 14 in. dia. bears N 29 E. 17 miles dist; and an Elm 9 n n n S 67 W. 14 n n
- 47.44 Set a post on the W. Bank of White River for the cor. to frac. sections 14 & 23. From which a Maple 14 in. dia. bears N 77 W. 7 miles dist; to do 10 n n n S 45 W. 12 n n
- 53.49 Set a post on the S.E. Bank of White River for the cor. to frac. sections 14 & 23. From which an Ash 14 in. dia. bears S 6 E. 25 miles dist; to a Sycamore 14 n n n N 31 W. 14 n n
- 61.09 Set a post on the Left Bank of W. River. for the cor. to frac. sec. 14 & 23. T. N^o 11 N.R. N^o 17. From which a Sycamore 16 in dia bears N 72 E. 20 miles dist; to Maple 14 n n n S 32 E. 29 n n
- 67.02 Set a post on the W. Bank of White River for the cor. to frac. sections 14 & 23. From which an Elm 14 in. dia. bears N 29 E. 4 miles dist; to an Ash 3 n n n S 16 E. 12 n n
- 80.34 To the post set for the cor. to sec. 14, 15, 22, 23. Nov. 3rd 1819

North Between sec. 14 & 15 T. N^o 11 N.R. N^o 17.

1875 To a Hackberry 16 in. dia. stands in the line.

40.50 Set a post for the cor. to 1/4 sec. From which a

I. N^o 11 N.R. N^o 177. 2nd Mer. (Ind. c.)

Hackberry 16 in. dia. bears N 22 E 11 miles dist;
 to a Buckeye 3 " " " S 84 W 14 " "
 61.68 To a Hackberry 28 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sec. 10, 11, 14 & 15. from
 which a Hackberry 10 in. dia. bears N 61 W. 21 mds
 dist; to B. Oak 6 " " " S 45 E. 18 "
 " Good first rate land. Timber Walnut,
 Hackberry and B. Oak, Buckeye, &c. N. Y. Spruce
 Pawpaw & Prickly ash,

East On a Random line between Sec. 11. & 14 I. N^o
 11 N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.
 80.50 Enter section the N. E. line 67 miles N of the post set
 for the cor. to Sec. 11, 12, 13. & 14 Good land and
 first rate; Timber Walnut, Sugar, Hackberry,
 Buckeye & c. N. Y. Spruce, Pawpaw, Prickly ash &c

West On the true line between Sec. 11. & 14 I. N^o 11. N.
 R. N^o 177.

24.20 To a Hickory 18 in. dia. stands in the line.
 40.25 Set the temporary post at the aver. dist. on the true
 line for the cor. to 1/4 sec. from which a
 Hackberry 10 in. dia. bears S 14 W. 20 miles dist; to
 do 6 " " " N 60 E. 12 " "
 60.85 To a Buckeye 8 in. dia. stands in the line.
 80.50 To the post set for the cor. to Sec. 10, 11, 14, 15.

North Section Sec. 10 & 11 I. N^o 11 N.R. N^o 177.

26.38 To a Beech 20 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which an
 Elm 14 in. dia. bears N 4 E. 4 miles dist; to
 a Buckeye 6 " " " S 21 W 14 " "
 61.46 To a Sugar 20 in. dia. stands in the line.
 62.46 Enter a Cornfield.
 67.50 Left the " "

T. N^o 11. N.R. N^o 17. 2nd Mer. (Ind.?)

80.00 Set a post for the cor. to lat. 2, 3, 10, 11. From which a
Buck 22 in. dia bears N 30 W. 2 miles dist; & a
Hornbeam 6 in ~ N 39 E 20 ~
Sanded and under 10th rate; Timber Walnut, Blue
Ash, Cherry, Hackberry, & W. G. Elm, and
Pawpaw, &c.

East On a Random line between lat. 2 & 11. T. N^o 11. N.R. N^o 17.

8.50 To a Spring branch, Corner G.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

81.00 Intersected the E. Boundary or N 15 line 70 miles
N of the post set for the cor. to lat. 1, 2, 11, 12.
Sanded and under 10th rate; Timber Walnut, Hackberry,
Cherry, W. Oak, Elm, & Buck &c. W. G. Elm, &c.

West On the true line between lat. 2 & 11. T. N^o 11 N.R. N^o 17.

18.86 To a Walnut 16 in. dia stands in the line.

40.50 Set the temporary post at the aver. dist in the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Buck 28 in. dia bears S 66 E 25 miles dist; & a
Hack 3 in ~ N 70 W. 20 ~

61.46 To a B. Gum 24 in. dia. stands in the line.

81.00 To the post set for the cor. to lat. 2, 3, 10, 11.

North Between lat. 2 & 3. T. N^o 11 N.R. N^o 17.

23.15 To an Oak 20 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dogwood 4 in. dia stands N 32 E. 14 miles dist; &
Buck 17 in ~ S 45 W. 46 ~

52.42 To a B. Gum 15 in. dia. stands in the line.

75.00 Intersected the N. Boundary 56 miles E. of the post
set for the cor. to lat. 34 & 35. T. N^o 12 N.R. N^o 17.
and set a post for the cor. to lat. 2 & 3 from which a
B. Gum 10 in. dia. bears S 25 W. 20 miles dist; & a

T. N. 11. N.R. N. 17. 2nd Mer (Ind.')

Beck 5 mi. dia. S4E. 28 miles dist; to
Broken 2nd & 3rd lands; Timber Poplar, Ash,
Sycam, Beck, W. Oak, &c. W. Spruce, Ironwoods,
Pines. Nov. 4. 18. 19.

North Peterua Sul. 33 & 34. T. N. 11 N.R. N. 17.

10.00 To a Brook 15 miles wide; across S.W.

17.44 " " do 8 " " " "

28.66 To a W. Oak 18 mi. dia. stands on the line.

40.00 Set a post for the cor. to 1/4 sec. from which

Beck 11 mi. dia. bears S74 W. 19 miles dist; to

Logan 3 " " " " N 68 E. 16 " "

58.54 To a Hick 18 mi. dia. stands on the line.

80.00 Set a post for the cor. to Sul. 27, 28, 33, 34. from which

a Logan 3 mi. dia. bears N 23 E. 16 miles dist; to

do 4 " " " " S 61 W. 5 " "

Broken 2nd & 3rd state lands; Timber W. Oak,
Hick, W. Oak, Hick, Poplar, Ash, & Sycam,
W. Spruce, Maple, Ironwoods, Beck, Pines &c.

East On a Random line between Sul. 27 & 34. T. N. 11
N.R. N. 17.

40.00 Set a timber post for the cor. to 1/4 sec.

79.90 Intersected the N. & S. line. 64 miles N of the
post set for the cor. to Sul. 26, 27, 34 & 35.

Broken 3rd state lands. Timber W & W Oak, Beck,
Hick, &c. W. Logan, Ironwoods, Hick, &c.
Pines &c.

West On a true line between Sul. 27 & 34. T. N. 11. N.
R. N. 17.

24.03 To a Spr. Oak, 22 mi. dia stands on the line.

39.95 Set the timber post at the av. dist on the true line
for the cor. to 1/4 sec. from which

Ironwoods 3 mi. dia bears S 48 W. 17 miles dist; to

Logan 4 " " " " N 28 E. 27 " "

T. N. 11. N. R. N. 177. 2nd de. Nov. (Jan. 1893)

- 58.94 To a Hickory 16 in. dia. Stands in the line.
 79.90 To the post set for the cor. to Sec. 27, 28, 33 & 34.

North Between Sec. 27, & 28. T. N. 11 N. R. N. 177.

- 15.04 To a Buck 20 in. dia. Stands in the line.
 19.83 " " Spring branch Corner West.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Logwood 4 in. dia. runs N 36 E. 18 miles dist; to
 Buck 10 " " " S 76 W. 15 " "
 61.34 To a Buck 12 in. dia. Stands in the line.
 74.00 Enter a Maple Swamp.
 80.00 Set a post for the cor. to Sec. 21, 22, 27, & 28. from
 which a Maple 18 in. dia. Stands N 11 W. 12 miles
 dist; to Maple 18 " " " S 19 E. 20 "
 Land part good 2nd grade; Part broken 3rd grade
 Timber W. Oak, Buck, Ash, Maple; W. Spruce,
 Maple, Hickory, Ironwood, & Buck, W. S.

*East On a Random line between Sec. 22, & 27. T. N. 11
 N. R. N. 177.*

- 55.00 Left Swamp.
 35.00 To a Buck 6 in. dia. Stands in the line.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Enter into the N. & S. line 65 miles N. of the post set
 for the cor. to Sec. 22, 23, 26, & 27. Land part good
 2nd grade; Part broken 3rd grade. Timber W. Oak
 & Elm, Buck, Hickory & Logwood. W. Spruce,
 Ironwood and Birch. & Maple &c

*West On a true line between Sec. 22, & 27. T. N. 11 N. R.
 N. 177.*

- 15.00 To a Buck 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. at the av. dist. on
 the true line. from which a
 Poplar 36 in. dia. runs S 65 W. 14 miles dist; to an
 Ironwood 3 " " " N 48 E. 16 " "

T. N. 11. N. R. N. 17. 2nd. Mer (Ind.)

- 6230 To a Poplar 18 in. dia. Stands in the river.
80.00 To the first set for the cor. to Sec. 21, 22, 27, & 28.

- North Between Sec. 21 & 22 *T. N. 11. N. R. N. 17.*
1.50 Left Swamp.
22.68 To a B. Walnut 36 in. dia. Stands in the river.
a Ponds 250 linked miles; corner N.E.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 20 in. dia bears N 53 E. 17 1/2 miles dist; to
Hornbeam a n n S 83 W. 21 n n n
54.22 To a Hackberry 16 in. dia. Stands in the river.
57.35 Set a post on the Left Bank of W. River for the
cor. to frac. sec. 21 & 22. From which an
Elm 10 in. dia bears S 50 E. 14 miles dist; to
Elm 7 n n n S 42 W. 4 n n n
67.55 Set a post on the W. Bank of W. River for the
cor. to frac. sec. 21 & 22. From which a
Maple 14 in. dia bears S 55 W. 4 miles dist; to
Do 12 n n n S 39 E. 10 n n n
80.00 Set a post for the cor. to Sec. 15, 16, 21 & 22, *T. N. 11. N. R. N. 17.* From which a
Red Bud 6 in. dia bears S 83 E. 20 miles dist; to
Buckeye 14 n n n N 65 W. 27 n n n
Level first rate lands. Timber Walnut, Locust &
Ash, & Buckeye. & W. Spruce & Pawpaw. &c.

- East On a Random line between Sec. 15 & 22, *T. N. 11. N. R. N. 17.*
40.00 Set a temporary post for the cor. to 1/4 sec.
79.86 Entered the N. & S. line 86 miles N. of the post.
Set for the cor. to Sec. 14, 15, 22, & 23.
Lands, soil, timber &c same as on the last mile.

- West On the true line between Sec. 15 & 22 *T. N. 11. N. R. N. 17.*
24.74 To a Shell Bark Hickory 22 in. dia. Stands in the river.

T. No 11. N.R. No 177. 2nd Mer. (Ind^d)

- 39.93 Set the temporary post at the corner west on the true line for the corner to 14 sec. from which a
W. Horn 10 in. dia. bears S 56 E. 12 miles dist; & a
B Walnut 28 in. " " N 37 W. 6 in. "
- 61.14 To a Walnut 20 in. dia. stands in the line.
- 79.86 To the post set for the corner to sec. 15. 16. 21. & 22
Nov. 5th 1819.

- North Between Sec. 15. & 16 T. No 11. N.R. No 177.
- 21.00 To a Walnut 20 in. dia. stands in the line.
- 40.00 Set a post for the corner to 14 sec. from which a
Sugar 16 in. dia. bears N 20 W. 10 miles dist; & a
Br. Oak 3 in. " " N 18 E. 16 in. "
- 65.46 To a Small Park Hickory 20 in. dia. stands in the line.
- 80.00 Set a post for the corner to sec. 9. 10. 15. 16. from which
Buck 22 in. dia. bears N 77 E. 30 miles dist; & a
Do 18 in. " " S 76 W. 52 in. "
Sandy land and fresh water; Timber B Walnut Hack-
berry, Buckeye, Sugar, Buck, & W. Spruce, Paw.
Paw. & Hickory &c

- East On a Meridian line between Sec. 10 & 15. T. No 11 N.
R. No 177.
- 40.00 Set a temporary post for the corner to 14 sec. from which a
- 79.43 Into sec. 14 the N. & S. line 56 miles N. of the post set
for the corner to sec. 10. 11. 14. & 15 Timber Walnut Hack-
berry Sugar, & Buck. W. Spruce, Pawpaw. &c.

- West On the true line between Sec. 10. & 15. T. No 11 N.
R. No 177.
- 17.81 To a Buckeye 16 in. dia. stands in the line.
- 39.71 Set the temporary post at the corner west on the true line
for the corner to 14 sec. from which a
Oak 10 in. dia. bears N 54 E. 7 miles dist; & a
Maple 8 in. " " S 17 W. 18 in. "
- 54.43 To a Butternut 17 in. dia. stands in the line.

I No 11. N.R. No 1 W. 2nd Mex. Ind.

79.43 To the post set for the cor. to sec. 9. 10. 15. 16.

North Between Sec. 9 & 10 I No 11. N.R. No 1 W.

4.00 Crossed a mound, Base 74 bricks. Height 14 lbs

22.00 To a Hackberry 18 mi. dia. Stands in the river.

40.00 Set a post for the cor. to sec. from which a
Buck 26 mi. dia. bears N 53 W. 28 miles dist; to
Locust 18 n n n N 72 E 21 n n n

55.28 To a Buck 18 mi. dia. Stands in the river.

80.00 Set a post for the cor. to sec. 3. 4. 9. 10. from which
a Buck 20 mi. dia. bears N 31 E 57 miles dist; to
Do 24 n n n S 34 W. 8 n n n
Sands N^o 1/2 millard N^o 1/2 water; 2nd level 2nd
note; Sands " Timber, Walnut, Hackberry, Buck,
Sugar, Locust, &c. N.Y. Spruce &c.

East On a Random line between Sec. 3 & 10. I No 11. N.R. No 1 W.

40.00 Set a temporary post for the cor. to sec.

79.48 Introduced the N & S line 71 miles N. of the post set
for the cor. to sec. 2, 3, 10, 11. Sands level 2nd of
N^o 1/2 note; Timber Walnut, Poplar, Ash, & Buck, Elm,
&c. Undergrowth Spruce &c.

West On the true line between Sec. 3 & 10. I No 11. N.R. No 1 W.

15.92 To a Buck 16 mi. dia. Stands in the river.

39.74 Set a post for the cor. to sec. from which a
Buck 8 mi. dia. bears N 35 E 20 miles dist; to
Veratium 5 n n n S 33 W. 14 n n n

57.74 To a Buck 28 mi. dia. Stands in the river.

79.48 To the post set for the cor. to sec. 3. 4. 9. 10.

North Between Sec. 3 & 4 I No 11. N.R. No 1 W.

17.44 To a Buck 16 mi. dia. Stands in the river.

40.00 Set a post for the cor. to sec. from which a

T. N^o 11. N.R. N^o 177. 2nd^d Mer. (Ind.^a)

- Whit^d 17 in. dia. bears S54E. 15 miles dist; & a
 Sycamore 70 n n ~ N23W. 12 n ~
 56.57 To a Buck 14 in. dia. stands in the river.
 73.70 Intersected the N. 7 Branch of T. N^o 11. N.R. N^o 1
 W. 12 miles W of the first set for the cor. to set
 33. & 34 T. N^o 11. N.R. N^o 177. made set a post
 for the cor. to set 3 & 4. From which a
 Buck 18 in. dia. bears S62E. 30 miles dist; & a
 L^o 28 n n ~ N61W. 20 n n ~
 N^o 1/2 mile level N^o rate lands; 2nd^d & 3rd^d broken
 2nd^d rate; Timber Walnut, Buck, Ash, and Hick^d
 N.Y. Spruce &c. Nov. 6th 1819.

- North Between set 32, & 33 T. N^o 11. N.R. N^o 177.
 21.28 To a Sassafras 12 in. dia. stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 16 in. dia. bears S63E. 16 miles dist; & a
 W. Hick^d 3 n n ~ N88E. 6 n n ~
 66.32 To a W. Oak, 36 in. dia. stands in the river.
 80.50 Set a post for the cor. to set 28, 29, 32, & 33. From
 which a Buck 22 in. dia. bears N9W. 19 miles dist;
 and an Ash 16 n n ~ S27E. 14 n n ~
 Land broken and 3rd^d rate; Timber W. Oak, W. Oak,
 Hick^d Sp. Oak, &c. N.Y. Sassafras Birch &c

- N^o 1 East On a Random line between set 28, & 33 T. N^o 11. N.
 R. N^o 177.
 15.80 To a Brook 12 miles into; crosses N.R.W.
 18.00 n n L^o 12 n n ~ G.W.
 20.25 L^o 0 n n n n n N.W.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 78.56 Intersected the N. & S line 66 miles S. of the first
 set for the cor. to set 27, 28, 33, & 34 Land & post
 level & part broken 2nd^d & 3rd^d rate; Timber
 W. Oak, W. Oak, Hick^d Buck &c. N.Y. Spruce &
 Ironwoods Logwoods & Maple Birch &c.

T. N.º 11 N.H. N.º 1 N. 2nd Mer. (End.)

- N.º 3. North On the true line between Sect. 28. & 29. T. N.º 11 N.H.
N.º 177.
24.90 To a Hackberry 16 in. dia. Stands in the line.
33.40 " " " Brook 15 inches wide; across N. N.H.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which is
Sp. Oak 48 in. dia. Stands N 29 E 10 inches dist. to
Sugar 18 " " " N 64 W 14 " " "
64.92 To a Cherry 12 in. dia. Stands in the line.
80.00 Set a post for the cor. to Sect. 20. 21. 28. & 29. from
which is a Buck 36 in. dia. Stands at 28 W. 16 inches dist.;
and a Cherry 4 " " " S 3 E 22 " "
Sands level and 2nd rate; Timber N. Oak, Buck,
Cherry, Walnut &c. W. Spruce &c.
-

- N.º 4. East Between Sect. 21. & 28 On a Meander line T. N.º 11
N.H. N.º 177.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
75.00 Enter a Maple Swamp
78.27 Intersected the N. & S line 20 inches N. of the post set
for the cor. to Sect. 21. 22, 27. & 28. Sands level
1st & 2nd rate Timber Walnut, Sugar, Hackberry
Oak, Ash, &c. W. Spruce, Poplar. P. Oak &c.
-

- N.º 2 West On the true line between Sect. 28. & 33. T. N.º 11 N.
H. N.º 177.
20.53 To a Beech 14 in. dia. Stands in the line.
39.28 Set a post for the cor. to $\frac{1}{4}$ sec. from which is
Buck 16 in. dia. bears S 70 W. 14 inches dist. to
do 12 " " " N 3 W. 30 " " "
61.38 To a Shell B. Hickory 14 in. dia. Stands in the line.
78.56 To the post set for the cor. 28, 29, 32, 33.
-

- West On the true line between Sect. 21. & 28. T. N.º 11 N.
H. N.º 177.
23.12 To an Elm 12 in. dia. Stands in the line.
39.13 Set the temporary post at the aver. dist. in the true line

I. N. 11. N. 17. 2nd Mer. (Ind. 2)

for the cor. to 1/4 sec. from which a

Asch 14 in. dia. bears S33 W. 11 miles dist; to

Buckeye 6 " " " N84 E. 20 " "

58.12 To a Buckeye 16 in. dia. stands in the line.

78.27 To the first cut for the cor. to sec. 21. 20, 27. & 28

North Peteron Cut. 21. & 21. I. N. 11. N. 17. 2nd Mer. (Ind. 2)

24.12 To a Hickory 10 in. dia. stands in the line.

30.46 Set a post on the Left Bank of White River for the cor. to Grace Sec. 20 & 21. from which a Hornbeam 6 in. dia. bears S20 W. 6 miles dist; to Hickory 12 " " " N44 E. 11 " "

36.00 Cut the Point of an Island.

45.00 Set a post for the cor. to 1/4 sec. on the same N. 17. of White River from which a Cottonwood 4 in. dia. stands N51 W. 12 miles dist; to do 3 " " " S30 E. 14 " "

64.70 Set a post on the same Bank of W. River for the cor. to Grace Sec. 20 & 21. from which a

Maple 8 in. dia. bears S10 W. 8 miles dist; to

do 14 " " " N83 E. 20 " "

69.75 Set a post on the R. Bank of W. River for the cor. to Grace Sec. 20 & 21. from which a

Red Bud 10 in. dia. bears N79 E. 10 miles dist; to

do 10 " " " S60 W. 14 " "

73.00 To a Brook 15 miles wide; course S. E.

80.00 Set a post for the cor. to sec. 16, 17, 20, & 21. from which a Mulberry 16 in. dia. bears N26 W. 34 miles dist; to do 18 " " " S70 E. 37 " "

— Sunde level just N. & East 2nd rate;

Timber Walnut, Hackberry, Buckeye, Sycamore Elm &c. Mt. Pine Pawpaw & P. Ash, Vines &c.

East On a Random line between sec. 16. & 21. I. N. 11. N. 17. 2nd Mer. (Ind. 2)

40.00 Set a tripod post for the cor. to 1/4 sec.

J. N^o 11. N. H. N^o 17. 2nd Mer. (Ind^o)

46.35 To the N^o. Bank of W. River

72.52 " " " " by Offset

78.60 Intersection the N. & S. line 14 miles N of the post
set for the cor. to Sep. 15. 16. 21. & 22. Lands bet
N^o. rate; Timber Walnut, Buckeye, Locust, Syc-
amore, Hackberry &c. No Spruce, Birch, Ash,
Vine &c. Nov. 8th 1819.

West On the true line between Sep. 16. & 21. J. N^o 11. N.
H. N^o 17.

6.06 Set apart on the N^o. Bank of White River fr.
the cor. to post. Sep. 16. & 21. From which a
Blue Ash 10 in. dia. beam S 83 W. 6 miles dist; to
Elm 5 " " " N 52 W. 10 " "

32.25 Set apart on the N^o. Bank of W. River by
Offset on the true line for the cor. to post. Sep.
16. & 21. From which a

Hornbeam 14 in. dia. beam S 74 W. 8 miles dist; to
W. Thorn 3 " " " N 62 W. 12 " "

39.30 Set the trumpet post at the adv. dist; on the true line
for the cor. to 10 sec. From which a
W. Thorn 8 in. dia. beam N 80 E. 14 miles dist; to
Buckeye 14 " " " S 37 W. 54 " "

66.27 To a Blue Ash 16 in dia stands in the line.

78.60 To the post set for the cor. to Sep. 16. 17. 21. & 21.

North between Sep. 16. & 17. J. N^o 11. N. H. N^o 17.

7.50 To a Brook 15 miles wide, corner S. W.

32.16 " " Brook 18 in. dia stands in the line.

40.00 Set apart for the cor. to 14 sec. from which a
Hornbeam 14 in. dia beam N 27 W. 4 miles dist; to
Sugar 14 " " " N 83 E. 25 " "

56.50 To a Brook 20 in. dia stands in the line.

80.00 Set apart for the cor. to Sep. 8. 9. 16. 17. From which
a Sugar 16 in. dia beam N 26 E. 7 miles dist; to
Butternut 5 " " " S 27 W. 22 " "

T. N. 11 N. R. No 17. 2nd Mer. (S. a.)

Sands level 1st rate; Timber Walnut, Sugar
Beech, Ash, Maple, &c. W. Spruce and Poplar

East On a Random line between Sect. 9 & 16. T. N. 11
N. R. No 17.

40.00 Set a trap for the cor. to 1/4 sec.

67.40 To a Beech 15 in. dia. stands in the line.

78.54 Intersected the E. Boundary 26 miles N. of the
Trap set for the cor. to sect. 9, 10, 15 & 16. Sands
level 1st rate; Timber Sugar, Walnut, Beech, &c.
&c. W. Spruce, White, & Maple. Prickly ash.

West On the true line between Sect. 9 & 16 T. N. 11 N. R.
No 17.

20.76 To a Beech 18 in. dia. stands in the line.

39.27 Set the trap for the cor. to the sec. dist. on the true
line for the cor. to 1/4 sec. from which a
Horizontal 5 in. dia. bears N 44 E. 6 miles dist. to
do 3 " " " S 28 E 19 " "

49.84 To a Buckeye 12 in. dia. stands in the line.

78.54 To the trap set for the cor. to sect. 8, 9, 16, & 17.

North Between Sect. 8 & 9 T. N. 11 N. R. No 17.

30.15 To a Beech 14 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 20 in. dia. stands in N 76 W. 18 miles dist. to
do 14 " " " S 23 E 9 " "

53.11 To a Butternut 16 in. dia. stands in the line.

79.00 " " Brook 12 miles N. of; Course S. S. E.

80.00 Set a post for the cor. to sect. 4, 5, 8, 9. from which
B. Elder 12 in. dia. bears S 34 E. 15 miles dist. to
do 5 " " " N 66 W. 28 " "
Sands level 2nd rate; Timber, Beech, Ash, Elm
Sugar tree; W. Spruce, Ash &c.

East On a Random line between Sect. 4 & 9. T. N. 11 N.

T. N. 11. N.R. N. 17. 2nd Mer. Ind^g

- Q. 20 To a Brook 15 miles wide; Course E. N.E.
 8.00 " " " 15 " " " " South
 40.00 Set a temporary post for the cor. to J. 42a.
 58.05 To a Spring branch Course S.
 78.30 Intersect the N. 15th line 44 miles N. of the post
 Set for the cor. to Sec. 3. 4. 9. 10. Lands here
 2nd rate; Timber Buck, W. Oak, Hovey
 Maple; W. Spruce &c

- West On the true line between Sec. 4 & 9. T. N. 11. N.
 R. N. 17.
 17.69 To a Buck 14 in. dia stands in the line
 39.15 Set the temporary post at the corner west on the true
 line for the cor. to J. 42a. from which a
 Buck 12 in. dia bears N 44 W. 5 miles dist; to
 " 20 " " " " S 18 W. 26 " "
 59.80 To a Buck 20 in. dia bears in the line.
 78.30 To the post set for the cor. to Sec. 4. 5. 8. 9.

- North Bottom Sec. 4 & 5. T. N. 11. N.R. N. 17.
 17.34 To a Buck 18 in. dia stands in the line.
 40.00 Set a post for the cor. to J. 42a. from which a
 Buck 20 in. dia bears N 23 E. 12 miles dist; to
 " 24 " " " " N 87 E. 16 " "
 50.20 To Spring branch. Course S. W.
 55.15 To a Sugar 28 in. dia stands in the line.
 72.17 Intersect the N. Boundary of T. N. 11 N.R.
 N. 17. 28 miles East of the post set for the
 cor. Sec. 32. 133. T. N. 12 N.R. N. 17. & set
 a post for the cor. to Sec. 4 & 5 from which a
 Buck 12 in. dia stands S 28 W. 11 miles dist; to
 " 18 " " " " N 78 E. 27 " "
 Lands here 2nd rate; Part broken 3rd rate
 Timber W. Oak, Buck, Poplar, Ash, &c N. S.
 Spruce, Hovey, Dogwood, Birch &c.
 Nov. 10th 1819.

T. N^o 11. N.R. N^o 17. 2nd Mer. (Ind. 2)

- North Between Sec. 31 & 32 T. N^o 11. N.R. N^o 17
 19.87 To a Sugar 20 in. dia. Stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Poplar 4 in. dia. bears S 35 W. 12 miles dist; to
 Hick 3 " " " N 52 E. 6 " "
 60.77 To a Poplar 14 in. dia. Stands in the river.
 80.00 Set a post for the cor. to Sec. 29, 30, 31 & 32
 from which a Buck 5 in. dia. bears N 44 E 10 1/2
 miles; to Logwoods 5 " " " S 85 W 15 "
 " Lands broken & 2nd rate; Timber N. Oak,
 Oak, & Buck, Hick, & some Poplar; N. 5
 Spruce, Logwoods, & Birch &c.
-

- East On a Random line between Sec. 29 & 32 T. N^o 11
 N.R. N^o 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.20 Intersect the N. & S. line 84 miles N. of the
 post set for the cor. to Sec. 28, 29, 32 & 33. Lands
 Broken 3rd rate; Timber N. Oak, B. Oak, &
 Hick; N. 5 Logwoods, Ironwoods, & Hick;
 Birch &c.
-

- West On the true line between Sec. 29 & 32 T. N^o 11 N.
 R. N^o 17.
 20.00 To a B. Oak 20 in. dia. Stands in the river.
 40.10 Set the temporary post at the above dist; on the true
 line for the cor. to 1/4 sec. from which a
 Buck 4 in. dia. bears N 73 E. 8 miles dist; to
 Sugar 16 " " " S 22 E. 24 " "
 56.26 To a Sugar 14 in. dia. Stands in the river.
 80.20 To the post set for the cor. to Sec. 29, 30, 31 & 32
-

- West Between Sec. 30 & 31 T. N^o 11 N.R. N^o 17.
 26.63 To a B. Oak 14 in. dia. Stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Logwoods 5 in. dia. bears S 41 W. 20 miles dist; to

T. N. 11 N.R. N. 17. 2nd Mer. (Ind.)

- W Oak 26 in. dia. base N 67 E. 16 miles dist; to
 55.80 To a Beech 16 in dia. Stands in the line
 67.47 Intersect the N. Boundary of T. N. 11 N.R.
 N. 1 W. 111 miles N. of the Post lot for the
 cor. to Sec. 25. 136. T. N. 11 N.R. N. 2 W. D
 lot apart for the cor. to Sec. 31. 131. T. N. 11 N.
 R. N. 1 W. from which
 Logwood 6 in dia. base S 61 W. 16 miles dist; to
 Do. 4 " " " N 21 E. 20 " "
 Sands broken and 3rd rate; Timber W. & B.
 Oak, Hickory, nut & Beech &c. N. 9 Logwood
 Ash, Ironwood, Birch &c.

- North Section Sec. 29. & 30. T. N. 11 N.R. N. 1 W.
 20.10 To a Poplar 40 in. dia. Stands in the line.
 44.00 Set a trip. post for the cor. to sec. from which
 a Logwood 16 in dia. base S 59 W. 6 miles dist; to
 Beech 20 " " " N 72 E 19 " "
 59.62 To a Spring Branch corner N. W.
 60.74 " " W Oak 20 in. dia. Stands in the line.
 74.00 " " Birch 15 miles N. W. corner N. W.
 81.00 Set a post for the cor. to Sec. 19, 20, 29, & 30. from
 which a Box Elder 12 in. dia. base S 32 E 10 miles
 dist; to Walnut 12 " " " S 83 W. 27 "
 Sands hard and part broken N. 12th
 rate; Timber W Oak, Beech, Poplar, Ash &
 Hickory Walnut, Buckeye &c. N. 9 Spruce, Log-
 wood Ash and birch.

- East On a Random line between Sec. 20. & 29. T. N. 11
 N.R. N. 1 W.
 40.00 Set a trip. post for the cor. to 14 sec.
 79.98 Intersect the N. P. S. line 74 miles N. of the
 Post lot for the cor. to Sec. 20, 21, 28, & 29.
 Sands hard N. 1st rate; Timber Beech, Walnut
 Ash, and Sugar, N. 9 Spruce & Poplar.

T. N. 11 N.R. N. 17. 2nd Mer (Ind. a)

- x Mar On the true line between Sub 24, 29 T. N. 11 N.
R. N. 17.
18.88 To an Elm 24 in. dia. stands in the line
39.99 Set the trumpet post at the cor. dist. on the true
line for the cor. to 1/4 sec. from which are
Ash 4 in. dia. bears S 11 E. 20 miles dist; to
Beech 17 in. " " N 27 W. 28 " "
57.40 To a Hackberry 20 in. dia. stands in the line
79.98 To the post set for the cor. to Sub 19, 24, 29, & 30

-
- Mar Between Sub 19, & 30. T. N. 11 N.R. N. 17.
6.50 To a Birch 20 miles wide course N.W.
21.00 To a Buckeye 18 in. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which is
Red Birch 6 in. dia. bears S 20 E. 27 miles dist;
Buckeye 14 " " " N 29 W. 54 " "
44.00 Set a post on the Left Bank of W. River. cor. to
Sub 19, & 30 from which is
Sugar 24 in. dia. bears S 57 E. 8 miles dist; to
Ash 12 " " " N 34 E. 14 " "
48.35 Set a post on the R^t. Bank of W. River for the
cor. to frac. Sub 19 & 30 from which is
Maple 10 in. dia. bears N 18 W. 16 miles dist; to
L^y 4 " " " S 18 E. 18 " "
60.20 To an Elm 22 in. dia. bears in the line
66.68 Intersect the W. Boundary of T. N. 11 N.R. N. 1
W. 14 3 miles N of the post set for the cor. to Sub
24, & 25. T. N. 11. N.R. N. 2 W. and set a
post for the cor. to Sub 19, & 30 from which are
Elm 12 in. dia. bears S 42 E. 22 miles dist; to
Hackberry 8 " " " N 32 E 21 " "
Cando loc. plant R^t & plant 2nd rate lands;
Timber Walnut, Hackberry, Locust, Buckeye
Sycamore Elm, Ash, Sugar &c.
W. 3rd Spec. Elder, &c. Nov. 11. 1819.
-

T. N. 11. N. R. N. 1 W. 2nd Mer. (Sec. 2)

North Section Jul. 19 & 20. T. N. 11. N. R. N. 1 W.

19.27 Set a post on the S.E. Bank of W. River
for the cor. to frac. Sec. 19 & 20. From which a
Hackberry 22 in. dia. base S 25 E. 28 links dist;
ends an Elm 18 " " " S 32 W 27 " "

23.70 Set a post on the 1st Bank of W. River for
the cor. for the cor. to frac. Sec. 19 & 20. From which a
Willow 14 in. dia. base N. 71 E. 5 links dist; to
Maple 14 " " " S 48 W 28 " "

40.00 Set a post for the cor. to 1/4 sec. From which a
Cottonwood 14 in. dia. base N 27 E. 14 links dist; to
Locust 3 " " " N 15 W. 18 " "

41.00 To a pond 130 links wide; corner N. W. S. E.

62.08 " " Buckeye 16 in. dia. stands in the river.

67.50 To a Brook or Bayou 30 links wide; corner
S. E. W.

80.00 Set a post for the cor. to Sec. 17, 18, 19, 20. From
which a Hackberry 8 in. dia. stands N 73 E. 14
links dist; & a Oak 24 " " " S 64 W. 22

" " Sounds hole post 1st & 2nd rate;
Timber Walnuts, Hackberry, Buckeye, Beech,
Sycamore, Cottonwood & N. 9 Spruce.

East On a Random line between Sec. 17 & 20. T. N.
11. N. R. N. 1 W.

40.00 Set a temp. post for the cor. to 1/4 sec.

47.50 To a Stream or Bayou. 30 links wide; corner
N. E. W.

56.50 Left said Stream

77.50 To a Brook 20 links wide; corner S. E. W.

80.10 Set a post on the East Boundary 67 links S of the
post set for the cor. to Sec. 16, 17, 20 & 21.

Sounds 1st rate; Timber Walnuts, Hackberry, Buckeye,
Ash, Oak, Sycamore, &c. (N. 9 Spruce &c)

West On the true line between Sec. 17 & 20. T. N. 11. N.

T. N^o 11 N.H. N^o 177 2nd Mer. Ind.^a

R. N^o 177

- 15.66 To a B. Oak, 14 in. dia. Stands on the river.
 40.06 Set the tripod post at the av. dist; on the true
 line for the cor. to pt. B. from which is
 Butternut 24 in. dia. bears S44 E. 25 miles dist; to
 W. Oak 27 " " " N. 43 E. 22 " "
 57.87 To a Hickory 24 in. dia. Stands in the river
 80.15 To the post set for the cor. to pt. 17. 18. 19. 20.

- West Between Jul. 18. & 19 T. N^o 11 N.H. N^o 177
 23.18 To an Oak 18 in. dia. Stands in the river.
 40.00 Set a post for the cor. to pt. B. from which is
 Walnut 10 in. dia. bears N56 W. 14 miles dist; to
 Hornbeam 6 " " " S56 E. 6 " "
 53.00 To an Oak 11 in. dia. Stands in the river.
 68.00 Enter into the N. Boundary 273 miles N. of the
 post set for the cor. to pt. 13. & 24 T. N^o 11 N.H.
 N^o 2 W. and set a post for the cor. to pt. 18 & 19
 T. N^o 11 N.H. N^o 177 from which are
 Oak 13 in. dia. bears S65 E. 16 miles dist; to
 Maple 6 " " " N55 E. 46. " "
 Sande wood 1st and 2nd rate; Timber Walnut,
 Buckeye, Hackberry, Beech, Hickory to. N. 9 Spine

- North Between Jul. 17. & 18. T. N^o 11 N.H. N^o 177
 23.18 To an Oak 18 in. dia. Stands in the river.
 40.00 Set a post for the cor. to pt. B. from which is
 Iron Gum 14 in. dia. bears N34 W. 10 miles dist; to
 B. Oak 20 " " " S34 E. 8 " "
 58.70 To a Beech 18 in. dia. Stands in the river.
 70.00 Enter a Windfall.
 80.00 Set a post for the cor. to pt. 7. 8. 17. & 18. in Wind-
 fall from which are
 Elm Bush 1 in. dia. bears N80 W. 4 miles dist; to
 Oak " 1 1/2 " " " S39 E. 6 " "
 Sande wood 2nd rate; Timber Elm, B. Oak, Maple

I N^o 11 N.R. N^o 17 N. 2nd Mer. (Ind.)

Buck Short Gun. to M^y Spice, Brine &c

East Return Jul 8. & 17 On a Medium line. I N^o

30.00 Left the mine

40.00 Set a temporary post for the cor. to 1/4 sec

80.06 Into section the East Boundary of the 43 miles
N. of the post set for the cor. to sec. 8. 9. 16 & 17.
Sanded land N^o 1st note; Timber Sugar Walnut Hick-
ory. Buck Couch &c. M^y Spice, Brine &c.

West. On the true line between Jul. 8 & 17. I N^o 11 N.
R. N^o 17. Nov. 13. 1819.

24.12 To a Buck 20 in dia stands in the line.

40.03 Set the temporary post at the above dist. on the true
line for the cor. to 1/4 sec. from which a
Meridian 5 in dia bears S 59 W. 10 miles dist; to
Buck 20 " " " N 57 E. 14 " "

47.21 To a Butternut. 14 in. dia stands in the line.

80.06 To the post set for the cor. to 7. 8. 17 & 18.

West. Return Jul 7. & 18 I N^o 11 N.R. N^o 17.

26.12 To a Buck 14 in. dia. stands in the line.

33.50 Left the Windfall

40.00 Set a post for the cor. to 1/4 sec from which a
Buck 24 in. dia. bears S 31 E. 18 miles dist; to
Hickory 24 " " " N 72 E. 10 " "

58.00 To a Buck 18 in. dia. stands in the line.

68.10 Into section the N. Boundary 315 miles N. of the
Post set for the cor. to sec. 12 & 13. I N^o 11 N.
R. N^o 2 W. Can do set a post for the cor. to
sec 7 & 18 from which a

Buck 24 in dia. bears N 31 E. 15 miles dist to

do 14 " " " " N 62 E. 25 " "

Sanded land 2nd note; Timber Buck, Sugar,
W. Oak, Ash, to M^y Brine Spice Ash &
Cherry &c.

367

T. N. 11. N.R. N. 17. 2nd Mer. Ind. ^c

North Between Sec. 7 & 8 T. N. 11 N.R. N. 17.

18.50 Left Winifred

28.85 To a W Oak 30 in dia. Stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 18 in dia bears N 34 E. 6 miles dist; to
do 16 " " " N 58 W. 50 " "

63.84 To a Maple 20 in dia. Stands in the line

80.00 Set a post for the cor. to Sec. 5, 6, 7, 8. from which
an Elm 4 in dia bears N 44 W. 2 miles dist; to
Kornham 5 " " " N 42 E. 17 " "

Underwood 1st & 2nd rate; Timber Sugar
W Oak, & Walnut, Elm, Sweet Gum &
N. J. Spruce &

East On a Random line between Sec. 5 & 8 T. N. 11 N.
R. N. 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

73.50 To a Brook 15 miles wide; course S. E.

77.00 " " do " " " " N. E.

79.50 " " " " " " " " E. S. E.

80.16 Intersected the N. & S line 38 miles N of the
post set for the cor. to Sec. 4, 5, 8, 9. Part
level; & part Broken 2nd & 3rd rate land.
Timber W. Oak, Hickory, Ash, Elm, Beech, Oak
& Buckeye. N. J. Spruce, (Hickory), Hazelnut, Oak,
Hogwood, Birch &c.

West On the true line between Sec. 5 & 8. T. N. 11 N.
R. N. 17.

19.81 To a Hickory 16 in dia. Stands in the line.

40.08 Set the temporary post at the aver. dist; on the true
line for the cor. to 1/4 sec. from which a
W. Oak 14 in dia bears N 36 W. 11 miles dist; to
W. Oak 14 " " " S 52 E. 20 " "

62.06 To a Beech 16 in dia. Stands in the line.

80.16 To the post set for the cor. to Sec. 5, 6, 7, 8.

T. N° 11 N.R. N° 17, 2nd Mer. Sec.

- West Bottom Sep. 6 & 7. T. N° 11 N.R. N° 17.*
 26.60 To a W. Oak 48 in dia. Stands in the river.
 40.00 Set a post for the cor. to 1st Mer. from which a
 Hickory 20 in dia. bears S 51 W. 5 miles dist;
 to B. Oak 3 " " N 43 E 11 " "
 57.74 To a Hickory 24 in dia. Stands in the river.
 68.20 Intersect the W. Boundary 425 miles N of the
 post set for the cor. to Sep. 1 & 2. T. N° 11 N.
 R. N° 27. and set a post for the cor. to Sep.
 6 & 7. T. N° 11 N.R. N° 17. from which a
 Buck 16 in dia bears S 68 E. 35 miles dist; to
 Hornbeam 4 " " " N 65 E. 20 " "
 Sandalwood 2nd Mer. dist; Juniper Hickory Buck,
 Gum, W Oak, Elm, Ash &c. (W) Spruce

- North Bottom Sep. 5 & 6. T. N° 11 N.R. N° 17.*
 23.62 To a Shell Buck Hickory 24 in dia Stands in
 the river
 40.00 Set a post for the cor. to 1st Mer. from which a
 Sugar 18 in dia bears N 42 W. 4 miles dist; to
 Hickory 3 " " " S 79 E. 15 " "
 61.54 To a Poplar 18 in dia Stands in the river.
 71.74 Intersect the N. Boundary of T. N° 11 N.R. N°
 17. 2nd Mer. 16 miles. West of the post
 set for the cor. to Sep. 3 & 2. T. N° 12 N.R.
 N° 17. 2nd Mer. and set a post for the cor.
 to Sep. 5 & 6. from which a
 Poplar 18 in dia bears N 43 W. 11 miles dist;
 Buck 18 " " " S 68 E. 18 " "
 Sandalwood & Spruce Hornbeam 2nd & 3rd Mer. dist
 Juniper Sugar Buck, Oak Hickory Poplar
 &c. (W) Spruce Sassafras & Brins &c. Nov. 13.
 1819.

Means of the 1st Bank of White River.

T. N. 11 N.R. N. 1 W. 2nd Mer. (Ind. a.)

Beginning on the line between T⁹ 11 & 12 N.
R. N. 1 E. Thence

D10 W. 20.00

S35 W. 6.00 Intersected the 2nd Mer. line between
Towns N N.R. 1 E & 1 W. Sec 1 & 16

In the middle of River; Dist. from cor. to
to see notes on Standard line; Thence
in Sec. 1 T. N. 11. N.R. 1 W.

S44 W. 4.50

D31 W. 4.00

S26 W. 6.00

S14 W. 8.50

To a Brook 30 miles wide, from N.W.

S4 E. 14.50

S3 W. 10.00

S22 W. 11.25

Intersected the line between Sec. 1 & 12.

64.35 E of cor. Width
of River 5.67 on the line.

S18 W. 3.00

S3 W. 8.00

S8 E. 3.00

S25 E. 2.00

S9 E. 5.50

S13 W. 4.00

S27 W. 6.00

S32 W. 6.50

S67 W. 5.00

N73 W. 6.00

N60 W. 2.50

N87 W. 4.00

S59 W. 6.50

S38 W. 4.00

S23 W. 3.00

S1 E. 3.00

S27 E. 4.00

S35 E. 4.50

Upper end of Standard 6.80 the wide

S27 W. 6.00

S88 W. 5.00

J. No 11 N.R. No 17. 2nd Mer. (Ind.)

J68N 3.50

J49N 3.00

J23N 4.50

J4E. 3.62

Intersected the line between Res. 12 & 13
22.17 E of the post River
made Island, 32, 27 mile on the line.

D10E 4.00

J29E 8.00

Smith 6.00

J48N 5.00

J71N 9.00

J66N 6.00

J59N 6.00

J57N 6.58

Lower end of Island 572 mile.

Intersected the line between Res. 13 & 14
3173 S of the cor.
River 457 mile on the line.

J60N 10.00 ✓

J56N 8.00 ✓

J59N 7.00 ✓

J62N 8.00 ✓

J54N 1.00 ✓

J42N 5.50 ✓

J35N 5.50 ✓

J24N 3.50 ✓

J5N 8.50 ✓

527E 6.50 ✓

J43E 4.25 ✓

To the post on line between Res. 14 & 23

J74E off the cor.

River 579 mile on the line.

Nov 15. 1819

80.34 - 29.85 = 50.49
see page 347

50.49

J45E 11.00 ✓

J56E 5.00 ✓

J48E 9.50 ✓

J60E 5.00 ✓

J24E 3.50 ✓

J7N 4.50 ✓

T. N. 11 N. R. N. 17. 2nd Mer. Ind.

C37N 3.00 ✓
 S75N 5.50 ✓
 N61N 7.00 ✓
 N30N 3.50 ✓
 N19N 5.00 ✓
 N45N 6.00 ✓
 N43N 14.00 ✓
 N37N 6.00 ✓
 N27N 4.96 ✓

To post on the line between Sec. 14 & 23.

^{40.17}
~~32.90~~ East of Sec. Cor.

River 6.65 wide on the line.
^{7.27}

To Sec. 40.17, whole line = 80.34
 7.00 7.27 wide. 32.90 E.
 47.44 = 47.44

✓ N28N 5.30 ✓
 ✓ N53N 4.00 ✓
 ✓ N62N 3.50 ✓
 ✓ N78N 7.50 ✓
 ✓ S71N 6.50 ✓
 ✓ S27N 6.50 ✓
 S9N 1.60 ✓

To the post on the line between Sec. 14 & 23.

13.32 E. of Sec. Cor.

River 5.93 wide on the line.

✓ S9N 6.50 ✓
 ✓ S10E 7.00 ✓
 ✓ S28N 3.00 ✓
 ✓ S87N 7.10 ✓

The line between Sec. 22 & 23.

14.53 S. of Sec. Cor.

River 4.37 wide on the line

N68N 6.50
 N56N 7.00
 N74N 6.50
 N84N 8.00
 S80N 6.00
 S73N 5.00
 S53N 4.00
 S48N 5.50
 S54N 6.00
 S88N 5.50

T. N. 11. N. R. No 17. 2nd Mer. (Ind. 6)

N84N 19.50

N37N 4.50

N31N 5.20

To the Post on line between Sta? 21. & 22.
12.45 S. of Sta. Cor.
River 10.20 wide on the line.

N. 11N 11.00

N45N 2.00

N60N 2.00

Intersected the line between Sta? 16 & 21.
Crossed bridge by Offset.

N44N 3.50

N64N 6.00

S86N 8.50

S69N 5.00

S58N 4.00

S44N 2.30

Intersect the line between Sta? 16 & 21.
46.35 E of Sta. Cor.

S44N 5.00

S19N 5.00

S11N 7.50

S9E 15.00

S37N 6.50

S67N 8.50

N72N 5.00

N45N 9.50

N7N 13.00

N30N 4.50

N57N 7.50

N88N 7.75

S72N 3.00

To a stream 15 miles wide; from N. W.
To the Post on line between Sta? 20 & 21
10.25 S of Sta. Cor.
River 5.05 wide on the line.

S84N 2.50

D61N 9.00

D36N 9.00

S19N 5.00

D27N 8.00

Upper end of Island.

T. N. 11 N. R. N. 1 W. 2nd. Tier. Ind.

N1E 7.50

S53W 4.50

S76W 5.50

S58W 9.00 Lower end of Salina.

S84W 12.00

S79W 9.50

S87W 14.00

S53W 7.80. ^{from} Data line between Sec. 19 & 20 T. N. 11.

56.30 S of the Post.

River 4.43 miles in the line.

N87W 8.50

S62W 3.50

S47W 5.00

S88W 3.50

N57W 3.00

N11W 14.00

N12E 5.50

N24E 6.00

N6E 4.50

N25W 8.00

N66W 6.00 Is a Stream or Run 50 M. in line.

S77W 4.50

S60W 4.50

S33W 7.50

S9W 10.00

S4E 5.50

S24W 7.00

S52W 8.00

S31W 9.00

S10E 5.00

S27E 4.50

S43E 3.00

S37E 4.00 Data between the line between Sec. 19 & 30

1823 E. of Sec. Cor.

River 4.35 miles in line

S25W 4.00

J. N. 11 N. R. No 177. 2nd Mer.

J53N 5.00

N88N 8.00

N58N 5.50

Intersect the Range line.

For the distance from cor. math of
River &c. See notes on the Standard
lines

Measures of the Left Bank of White River
Beginning on the line between Range 1 & 2 N
& between Sec. 25. & 30. For the math of the
River, distance from cor. See Notes on the Stand-
ard line

J62E 3.00

J89E 10.00

N65E 8.50

N29E. 4.50

N5E. 4.00

Intersect on the line between Sec. 19 & 30
44.00 West cor.

N13N 5.00

N11N 9.50

N17E. 5.00

N46E. 8.00

N26E. 5.00

N14E. 4.00

N4E. 12.00

N18E 4.50

N49E 3.50

East 3.00

J58E 3.00

J19E. 4.00

S20N 4.50

S.25N 7.00

S3E. 4.50

S.12E 7.50

J26E. 4.50

J11E. 5.00

J. N. 11 N.R. No 177. 2nd de Mar. (J. d. e.)

144 E. 5. 00

4756. 5.00

Ms. A. 9. 2. 50

N63E. 3.50 To Athens 20. miles N. from L.E.

M3E. 1.00

N45E. 6.50

188E. 6.44 Intersect the line between sec! 19 & 20.

X. 60a — 19.27 North of S. cor.

173E. 4. 50

485E. 6.50

1886 21. 00

N 49 E. 15.50

✓ 88 E 4.00

4798. 6.00

N82E. 7.50

1756. 11. 20

1598.5.00

N^o 35 E. 1160 To the line between Plots 20 & 21.

30.46 Proj. M. Cor.

A. 428. 310

Ms E. 9. 10

N32W. 4.66 To the river between Sta. 20 & 21.

40.00 N of W. Cor.

1357. 4.00

1477. 7.00

N 187. 5. 50

N27E. 6.50

N57E. 8.00 To the line between Plots 21 & 22.

6770 N. Ave. con.

087E.650

4576. 5.10

30 E. 4.50

W E. 500

South 5.00

531E. 8.00

5566. 5.00

T. No 11. N.R. No 17th 2nd & 3rd Mer. (Ind.)

S76E 6.00
 N89E. 6.00
 N.67E. 6.00
 N46E. 4.00
 N34E. 7.00
 N10E. 7.50
 N77 10.00
 N8E. 6.50
 N16E. 5.50
 N37E. 3.00
 N52E 3.50
 S89E. 5.00
 S82E. 5.00
 S59E. 7.00
 S31E. 3.50
 S12E 3.00
 S13E. 5.50
 S10E. 3.00
 S34E. 4.00
 S53E. 4.10

To the first between Lat. 21° 22' 20".

57.35 North of the cor. to Lat. 21. 22, 27. 28

S53E. 2.50
 S66E. 7.50
 S84E. 4.50
 S87E. 5.00
 N87E. 7.00
 N79E. 5.00
 N71E. 7.00
 N57E. 4.50
 N57E. 12.50
 N81E. 6.00
 S70E. 5.00
 S63E. 4.00
 S57E. 6.00
 S73E. 7.00
 S74E. 2.89

To a Brook 15 miles midw; from D.E.

To the first between Lat 22, 23. 26. & 27!

T. N. 11. N. R. N. 1 W. 2nd Mer. (Ind. Co.)

59.84 N. of the cor. to Sec. 22, 23, 26, & 27.

N 87 E. 10.50 ✓ To a minor rate High Bluff etc.

N 32 E. 5.00 ✓

N 10 E. 3.50 ✓

N 9 W. 10.00 ✓

N 18 E. 3.88 To the post on the line between Sec. 14 & 23

19.25 E. of the post set for the cor. to sec. 14, 15, 22 & 23. ^{14, 15,}
~~22 & 23~~ ~~23 & 24~~ Nov. 17, 18, 19. Thence

N 37 E. 3.50 ✓

N 74 E. 3.50 ✓

S 77 E. 5.00 ✓

N 44 E. 3.50 ✓ Intersect. the line between Sec. 14 & 23. ^{32.90} ~~23.82~~
E. N. of the cor. Secs. 14, 15, 22 & 23. Thence.

Left bank
In Sec.
14.

S 44 E. 4.00 ✓

S 23 E. 5.50 ✓

S 41 E. 4.00 ✓

S 34 E. 5.00 ✓

S 37 E. 4.50

S 43 E. 6.00

S 53 E. 11.50

S 34 E. 8.50

S 60 E. 5.50

S 76 E. 6.50

N 76 E. 6.00

N 35 E. 6.00

N 20 E. 4.50

N 7 W. 6.00

N 19 W. 3.50

N 43 W. 5.00

N 56 W. 3.50

N 58 W. 4.50

N 49 W. 5.50

N 47 W. 5.00

N 64 W. 4.20 To the post set for the cor. to Sec. 14 & 23.

27.00 ch. N. of sec. cor. Thence.

T. N^o 11 N. W. N. 1 W. 2nd Mer. (Ind.)

N24E. 10.00

N13E. 5.00

N14E. 6.50

N41E. 6.00

N59E. 14.50

N71E. 5.00

N56E. 8.50

N. 48E. 4.50

N30E. 1.23.

To the post on the line between Sec. 13 & 14.
43.70 N. of the cor. Thence.

N56E. 6.00

N62E. 5.00

N65E. 5.00

N67E. 4.00

N54E. 3.50

N57E. 14.50

To a stream 60 linked mile; from the N.E.

N47E. 13.00

N. 47E. 5.00

N70E. 3.50

N60E. 3.40

To the post on the line between Sec. 12 & 13.
24.12 West of the Sec. Cor. Thence.

N50E. 3.02

N14E. 4.00

N22W. 5.50

N43W. 15.00

N28W. 4.00

N13E. 3.50

N72E. 3.00

S83E. 6.50

East 5.50

N70E. 5.00

N40E. 6.00

N26E. 7.50

N21E. 9.00

N12E. 7.00

N24W. 3.50

Mouth of Bayou.

T. N^o 11 N.W. N^o 1 R. 2nd Mer. (Ind. a.)

N 37 W	4.00	
N 19 W	5.00	Enter Prairie
N 1 E.	10.10.	To the post on the line between Sec. 1 & 12. 18.38. West of the cor. thence
N 30 E.	13.50	
N 9 E.	7.00	
N 7 W.	9.50	
N 3 W.	8.10	
N 6 E.	6.00	
N 29 E.	8.13.	To the post set on the line between Sec. 1 & 6. T ^o 11. 11. N. W. N ^o 1 W. & 1 E. Thence.
N 57 E.	5.00	
N 37 E.	7.50	
N 26 E.	7.00	
N 14 E.	5.00	
N 1 E.	4.00	
N 16 E.	4.50	
N 1 E.	11.00	
N 13 W.	1.82	To the post on the line between T ^o 11. & 12 N. R. N ^o 1 E. & 6. 64 N of the line on the N.W. Bank of White River. Nov. 18 th 1819.

Surveyed by
Thomas Brown L.S.

I certify that the foregoing Transcript of the field notes of Township N^o 11. North of Range N^o 1 West of the 2nd Mer. Indiana, has been compared with the Original notes in this Office & found to be correct.

Surveyor General's Office,
Cincinnati Dec. 16th 1839

E. S. Seares
Sur. Genl.